Safety Tools Catalog





01

About Us

Our company founded in 2024, has a reputation and in-depth knowledge in the safety business.

Vision

Growing together as an innovative, professional and global supplier company.

Mission

We aim to achieve the sustainable market leadership position by delivering excellent value to our customers through continuous innovation, world-class processes, financial strength, and great people.

Yasa
Anugerah
Pratama

"your comfort is our priority"



Our Categories



01 Hearing Protection

02 Head Protection

03 Respiratory Protection

04 Eye Protection

05 Face Protection

06 Hand Protection

07 Food Protection

08 Fire Safety

09 Traffic & Safety



02

Our products

Hearing Protection



Earmuff Hi-Visibility

- Large dimension range: Comfortablyfits a wide range of head sizes
- Wide cup opening: Ideal for workers with larger ears, or who wear hearing aids. Opening area of the cup increased by 16% over earlier versions
- Dielectric headband: Durable, non-deforming plastic headband, head attachments for electrical environments
- Lightweight cushioned headband:Steel-wire construction with padded headband and precision micro adjustments designed for just the rightfit around the ear.
- Memory foam ear cushions: Newunique memory foam that combines denser and softer foam than previousmodels, for greater comfort and attenuation



Helmet Muff Hi-Visibility

- Large dimension range: Comfortablyfits a wide range of head sizes
- Wide cup opening: Ideal for workers with larger ears, or who wear hearing aids. Opening area of the cup increased by 16% over earlier versions
- Dielectric headband: Durable, non-deforming plastic headband, head attachments for electrical environments
- Lightweight cushioned headband:Steel-wire construction with padded headband and precision micro adjustments designed for just the rightfit around the ear
- Memory foam ear cushions: Newunique memory foam that combines denser and softer foam than previousmodels, for greater comfort and attenuation



Earmuff Folding

- Large dimension range: Comfortablyfits a wide range of head sizes
- Wide cup opening: Ideal for workers with larger ears, or who wear hearing aids. Opening area of the cup increased by 16% over earlier versions
- Dielectric headband: Durable, non-deforming plastic headband, head attachments for electrical environments
- Lightweight cushioned headband:Steel-wire construction with padded headband and precision micro adjustments designed for just the rightfit around the ear
- Memory foam ear cushions: Newunique memory foam that combines denser and softer foam than previousmodels, for greater comfort and attenuation



Dielectric Helmet Muff

- Large dimension range: Comfortablyfits a wide range of head sizes
- Wide cup opening: Ideal for workers with larger ears, or who wear hearing aids. Opening area of the cup increased by 16% over earlier versions
- Dielectric headband: Durable, non-deforming plastic headband, head attachments for electrical environments
- Lightweight cushioned headband:Steel-wire construction with padded headband and precision micro adjustments designed for just the rightfit around the ear
- Memory foam ear cushions: Newunique memory foam that combines denser and softer foam than previousmodels, for greater comfort and attenuation

Head Protection



Protective Caps

Classification : Type I
Application : General purpose
Shell Material : Polyethylene
Available Styles : Slotted Cap
Sizes : Standard (6½-8");
Standards : ANSI Z89.1-2014 CSA Z94.1-2015
Certification : Third-party by SEI
Customization : Imprinting and striping available

Ares Air Helmet

Classification: Type 1 Class C
Applications: Rope Access, Tree Climbing and Team Rescue
Material: Made of a blend of ABS and Polycarbonate
Sizes: 54-62 cm
Standards: EN 12492 + Performance Requirements of EN 397 / ANSI Z89 1 Type 1 Class C
Weight: 475 g





Armour Climbing Helmet

- Hybrid construction
- New rotating size adjustment wheel
- Comfort chin strap
- Headlamp compatible
- UIAA 106 / EN 12492 certified
- Available in 5 colors
- **Size:** 54 60 cm, 21.3-23.6 in
- **Construction:** Injection
- **Shell Material:** ABS
- **CE (EN 12492):** Yes
- **CE (EN 1077):** No
- **UIAA:** Yes
- **Weight :** 355 g

Respiratory Protection

Core Respiration with Exhalation Valve

The new ALS-801 Series of NIOSH approved respirators has the additional benefit of being foldable for easy storage in a worker's pocket. The slightly different shape may be able to fit more workers in any workplace. These models have been designed to easily meet NIOSH's stringent approval requirements for breathing resistance and filtration effciency.



Uniair Disposable Particulate Mask



- FFP2 NR D Disposable Particulate Respirators are approved for use against solid (non-oil) and liquid (oil) aerosols according to EN 149:2001+A1:2009.
- Suitable to protect against low-to-average toxicity harmful materials in concentration unto 12 x OEL or 10 x APF. (OEL – Occupational Exposure Limit, APF = Assigned Protection Factor).
- FFP2 NR D Disposable Particulate Respirator can provide protection against solid and liquid aerosol and smoke containing the following materials such as china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, hardwood, plastic, vegetable oils and mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis (TB).
- Recommended applications: textile industry, craft work, iron & steel industry, mining, underground civil engineering, wood working, welding work, cutting & casting of metals, hospital, laboratory, disease control, etc.

Sundstrom Compressed Air - Model

Sundström Safety's compressed air fed breathing protection equipment with continuous flow was developed to protect users working with contaminants that have poor warning properties, or cannot be absorbed in a gas filter, as well as with particularly toxic contaminants. It can be used at all times as an alternative to filter protection for work that is heavy, hot or of long duration.





Escape Hood

For use in chemical accidents. Equipped with filter SR 299-2 ABEK1-Hg-P3

The escape hood is a filtering respiratory protective device for self-rescue in the event of fire and/or chemical emission accident. Sundström Safety's escape hood are available in several variations with different filter combinations depending on expected exposure.

Eye Protection



Mont Blanc Spectacles Goggles Clear Lens UV 385, Anti Fog

- Combine the advantages of spectacle and goggle. Quick release design allows user to change the temple/ elastic band easily
- Full wraparound with 8 base polycarbonate lenses offer superior impact protection & coverage.
- Indirect ventilation allows utmost airflow, while providing proper protection against splash and dust.
- Soft gasket provides cushion fit and dust proof.
- Scratch-resistant 100% polycarbonate lens filter out more than 99.9% of harmful UV light.

Safety Spectatles Clear Lens Black Frame



- All purpose safety spectacles
- Traditional style with side shield for extra protection.
- Temple leg length adjustable suit variety of face shape
- With hard coating, anti-scratch and impact resistant PC lens.
- Durable Nylon Frame and temple
- Mould in nose piece for support
- Suitable to fit over most prescription glasses
- Anti-scratch, and UV380 coating to prevent 97% harmful Ultraviolet rays
- Made in Taiwan.



Fuji Visitor Protective Eyewear. Clear Lens UV 385, HC

- Full front, side and top protection, high velocity impact resistant
- Fits most prescription glasses
- Optically correct polycarbonate lens
- Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light

Alpen Safety Goggles, Clear Lens UV 385, Anti Fog, w/Neoprene Headband



- Protects against chemical splash and dust
- Soft vinyl goggle body conforms to facial contours for a very comfortable fit
- Medium energy Impact resistance against flying particles.
- Optically correct polycarbonate lens.
- Fits over prescription glasses.
- Fully adjustable elastic band.

Face Protection



Wiremash Visor

8” x 15-1/2” metal wire mesh with aluminum bound, protection against flying branches and woodchips during forestry operations, also protection against molten metals and where deflection of extreme heat is required. Use with bracket or headgear. Compliance: ANSI Z87 and CE EN1731



Loggers Helmet

- Shell Material: Polypropylene
- Suspension: Nylon
- Ear Cups: ABS
- Volume Ring: ABS
- Slide Clip: PUR
- Foam Absorber: Polyurethane
- Ear Cushion: PVC
- Visor: Steel



Welding Helmet SE720

Straight shell impact resistance, 2” x 4-1/4” flip front lens for easy weld inspection, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, curved top extends well over the head for added protection. Compliance: ANSI Z87.1 and CE EN175



Welding Helmet SE740

A semi-aluminum bracket fixed with impact resistance straight shell, with 2” x 4-1/4” flip front lens for easy welding inspection. It’s easy to fit with most type of hard hat in markets. Compliance: ANSI Z87.1

Hand Protection




Nitrile Food Grade 82-135



Nitrile Safety Gloves 92-600

- Proprietary Ansell material formulation offers enhanced chemical splash protection.
- Soft nitrile provides high levels of comfort.
- Robust design for superior durability.
- Silicone free design is paint and finish process friendly.
- Also available in packaging to fit
- vending machines.



Nitrile Food Processing 82-134

Foot Protection



Dunlop Acifort

- Toe cap Steel
- Midsole Steel
- Slip resistant outsole SRA
- Oil resistant outsole Yes
- Chemical resistant code 8
- Energy absorbing Yes
- Electrical insulation Antistatic
- Fuel oil resistant Yes

Dunlop Protonastor

- Toe cap Steel
- Midsole Steel
- Slip resistant outsole SRA
- Oil resistant outsole Yes
- Chemical resistant code 2
- Energy absorbing Yes
- Electrical insulation Antistatic
- Fuel oil resistant Yes





Pakalolo Boots

- Outsole : Rubber & PU
- Color : Black & Brown

Fire Safety







Firefigthers Turnout Gear

- Outer shell : 6.0oz Nomex© IIIA
- Middle layer : 9.0oz 100% Flame resistance cotton blanket
- Lining : 7.7oz 100% Flame resistance cotton

Fire Helmet

- M-PACT Shell with SmartRidge design
- High-heat thermoplastic outer shell
- Comfortable Sure-Lock® ratchet headband
- Balanced 4-point nylon crown straps and crown pad
- Nomex® chinstrap with quick-release buckle and postman's slide fastener
- Rip-stop Nomex® ear/neck protector
- Leather ratchet cover
- Removable fire-resistant, absorbent cotton brow pad
- Quick-Attach faceshield or goggle system
- 12 comfort settings
- Scotchlite® reflective markings
- Certified to NFPA 1971-2013 standard

APAR

- Tube material: Iron- Paint: Red
- Powder Coated- Tube neck:
- Stored-Pressure System
- Contents inside the tube: AFFF
- Foam / Foam
- Weight 0.5,1,2,3,3.5,4,5,6,9,10,12 Kg

Traffic & Safety



Road Barrier

Dimensi Teknis

- **Berat: 17 kg**
- **Tinggi 80 cm**
- **Panjang Badan: 100 cm**
- **Lebar Atas: 13 cm**
- **Lebar Bawah: 48 cm**
- **Panjang Total 120 cm**



PVC Rubber Traffic Cone

- **Height : 90 cm/36”**
- **Base Dim (cm) : 36 x 36**
- **Height of Reflective Band : 23 cm**
- Single



Barricade Tape

Base Dim (cm) : Barricade Tape 3" x 300 Meter, Yellow/Black



Revolving Warning Light

- Voltage: DC 12V/24V, AC 110V/220V
- Color: Amber, Blue, Red
- Size: Ø122 x 182 (H) mm
- Flash rate: 130/min



Traffic Safety Convex Mirror

Size: 45 cm, 60 cm, 80 cm, 100 cm



Indoor Convex Mirror

Size: 45 cm, 60 cm, 80 cm



Queue Pole

- Tinggi: 90cm
- Diameter Tiang: 2.5inch
- Tinggi tatakan: 4cm
- Material tiang: Baja stainless
- Panjang pita: 2M / 3M



Thanks

Contact Us

admin@yasaanugerahpratama.id
+62 82111549336